

2700K OFFERINGS

- Premium Cutoff Acorn



- Basic Cutoff Colonial



- Basic Cobra



- Basic Shoebox



- Basic Traditional Colonial



PREMIUM CUTOFF ACORN

Comparable HID Wattage	Finish Color	Initial Lamp Lumens	Lighting Pattern	Correlated Color Temperature (CCT)	Input Wattage	Billing Tier	Basic / Premium	Recommended Mounting Height (ft.)	BUG Rating	Luminaire Stock #	WMIS CU Code
70	Black	3085	Type III	2700K	33	2	Premium	10 - 12	1-0-1	42514333	LEDACCO0332BXXX
100	Black	5052	Type III	2700K	50	2	Premium	10 - 12	1-0-1	42514334	LEDACCO0532BXXX
150	Black	7092	Type III	2700K	69	3	Premium	12 - 16	2-0-2	42514335	LEDACCO0732BXXX

BASIC COBRA

Comparable HID Wattage	Finish Color	Initial Lamp Lumens	Lighting Pattern	Correlated Color Temperature (CCT)	Input Wattage	Input Amps	Billing Tier	EPA	B-U-G Rating	Recommended Mounting Height (ft.)	Luminaire Stock Number	WMIS CU Code
70	Gray	3856	Type II	2700K	30	0.29	2	0.17	1-0-1	25	42514711	LEDCOXX0322GXXX
70	Gray	3948	Type III	2700K	30	0.29	2	0.17	2-0-1	25	42514714	LEDCOXX0332GXXX
100	Gray	5128	Type II	2700K	39	0.37	2	0.17	1-0-1	25-30	42514712	LEDCOXX0522GXXX
100	Gray	5250	Type III	2700K	39	0.37	2	0.17	2-0-2	25-30	42514715	LEDCOXX0532GXXX
150	Gray	8137	Type II	2700K	68	0.65	3	0.17	1-0-1	25-30	42514713	LEDCOXX0822GXXX
150	Gray	8136	Type III	2700K	68	0.65	3	0.17	2-0-2	25-30	42514716	LEDCOXX0832GXXX

BASIC SHOEBOX

Comparable HID Wattage	Finish Color	Initial Lamp Lumens	Lighting Pattern	Correlated Color Temperature (CCT)	Input Wattage	Input Amps	Billing Tier	EPA	B-U-G Rating	Recommended Mounting Height (ft.)	Luminaire Stock #	WMIS CU Code
70	Gray	4398	Type III	2700K	37	0.35	2	0.36	1-0-1	20 - 25	42514330	LEDSBBA0332GXXX
100	Gray	4952	Type III	2700K	36	0.35	2	0.76	1-0-1	20 - 25	42514331	LEDSBBA0532GXXX
150	Gray	8951	Type III	2700K	70	0.67	3	0.76	2-0-2	25 - 30	42514332	LEDSBBA0832GXXX

BASIC CUTOFF COLONIAL

Comparable HID Wattage	Finish Color	Initial Lamp Lumens	Lighting Pattern	Correlated Color Temperature (CCT)	Input Wattage	Billing Tier	Basic/Premium	Recommended Mounting Height (ft.)	B-U-G Rating	Luminaire Stock Number	WMIS CU Code
70	Black	4223	Type III	2700K	40	2	Basic	10 -12	1-0-1	42513796	LEDCLCO0332BXXX
70	Black	4396	Type V	2700K	40	2	Basic	10 - 12	1-0-1	42513847	LEDCLCO0352BXXX
100	Black	5115	Type III	2700K	50	2	Basic	10 - 12	3-0-1	42513848	LEDCLCO0532BXXX
100	Black	5324	Type V	2700K	50	2	Basic	10 - 12	3-0-1	42513802	LEDCLCO0552BXXX
150	Black	7331	Type III	2700K	70	3	Basic	12 - 16	2-0-2	42513863	LEDCLCO0732BXXX
150	Black	7630	Type V	2700K	70	3	Basic	12 - 16	2-0-2	42513864	LEDCLCO0752BXXX

BASIC TRADITIONAL COLONIAL

Comparable HID Wattage	Finish Color	Initial Lamp Lumens	Lighting Pattern	Correlated Color Temperature (CCT)	Input Wattage	Billing Tier	B-U-G Rating	Recommended Mounting Height (ft.)	Luminaire Stock #	WMIS CU Code
70	Black	3691	Type III	2700K	40	2	1-3-2	10 - 12	42514708	LEDCLTC0332BXXX
100	Black	5500	Type III	2700K	64	3	1-3-2	12 - 16	42514709	LEDCLTC0532BXXX
150	Black	7282	Type III	2700K	94	4	2-4-3	12 - 16	42514710	LEDCLTC0732BXXX